

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
1	on	x									
	off		x	x	x	x	x	x	x	x	x
2	on		x								
	off	x		x	x	x	x	x	x	x	x
3	on	x	x								
	off			x	x	x	x	x	x	x	x
4	on			x							
	off	x	x		x	x	x	x	x	x	x
5	on	x		x							
	off		x		x	x	x	x	x	x	x
6	on		x	x							
	off	x			x	x	x	x	x	x	x
7	on	x	x	x							
	off				x	x	x	x	x	x	x
8	on				x						
	off	x	x	x		x	x	x	x	x	x
9	on	x			x						
	off		x	x		x	x	x	x	x	x
10	on		x		x						
	off	x		x		x	x	x	x	x	x
11	on	x	x		x						
	off			x		x	x	x	x	x	x
12	on			x	x						
	off	x	x			x	x	x	x	x	x
13	on	x		x	x						
	off		x			x	x	x	x	x	x
14	on		x	x	x						
	off	x				x	x	x	x	x	x
15	on	x	x	x	x						
	off					x	x	x	x	x	x
16	on					x					
	off	x	x	x	x		x	x	x	x	x
17	on	x				x					
	off		x	x	x		x	x	x	x	x
18	on		x			x					
	off	x		x	x		x	x	x	x	x
19	on	x	x			x					
	off			x	x		x	x	x	x	x
20	on			x		x					
	off	x	x		x		x	x	x	x	x
21	on	x		x		x					
	off		x		x		x	x	x	x	x
22	on		x	x		x					
	off	x			x		x	x	x	x	x
23	on	x	x	x		x					
	off				x		x	x	x	x	x
24	on				x	x					
	off	x	x	x			x	x	x	x	x
25	on	x			x	x					
	off		x	x			x	x	x	x	x
26	on		x		x	x					
	off	x		x			x	x	x	x	x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
27	on	x	x		x	x					
	off			x			x	x	x	x	x
28	on			x	x	x					
	off	x	x				x	x	x	x	x
29	on	x		x	x	x					
	off		x				x	x	x	x	x
30	on		x	x	x	x					
	off	x					x	x	x	x	x
31	on	x	x	x	x	x					
	off						x	x	x	x	x
32	on						x				
	off	x	x	x	x	x		x	x	x	x
33	on	x					x				
	off		x	x	x	x		x	x	x	x
34	on		x				x				
	off	x		x	x	x		x	x	x	x
35	on	x	x				x				
	off			x	x	x		x	x	x	x
36	on			x			x				
	off	x	x		x	x		x	x	x	x
37	on	x		x			x				
	off		x		x	x		x	x	x	x
38	on		x	x			x				
	off	x			x	x		x	x	x	x
39	on	x	x	x			x				
	off				x	x		x	x	x	x
40	on				x		x				
	off	x	x	x		x		x	x	x	x
41	on	x			x		x				
	off		x	x		x		x	x	x	x
42	on		x		x		x				
	off	x		x		x		x	x	x	x
43	on	x	x		x		x				
	off			x		x		x	x	x	x
44	on			x	x		x				
	off	x	x			x		x	x	x	x
45	on	x		x	x		x				
	off		x			x		x	x	x	x
46	on		x	x	x		x				
	off	x				x		x	x	x	x
47	on	x	x	x	x		x				
	off					x		x	x	x	x
48	on					x	x				
	off	x	x	x	x			x	x	x	x
49	on	x				x	x				
	off		x	x	x			x	x	x	x
50	on		x			x	x				
	off	x		x	x			x	x	x	x
51	on	x	x			x	x				
	off			x	x			x	x	x	x
52	on			x		x	x				
	off	x	x		x			x	x	x	x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
53	on	x		x		x	x				
	off		x		x			x	x	x	x
54	on		x	x		x	x				
	off	x			x			x	x	x	x
55	on	x	x	x		x	x				
	off				x			x	x	x	x
56	on				x	x	x				
	off	x	x	x				x	x	x	x
57	on	x			x	x	x				
	off		x	x				x	x	x	x
58	on		x		x	x	x				
	off	x		x				x	x	x	x
59	on	x	x		x	x	x				
	off			x				x	x	x	x
60	on			x	x	x	x				
	off	x	x					x	x	x	x
61	on	x		x	x	x	x				
	off		x					x	x	x	x
62	on		x	x	x	x	x				
	off	x						x	x	x	x
63	on	x	x	x	x	x	x				
	off							x	x	x	x
64	on							x			
	off	x	x	x	x	x	x		x	x	x
65	on	x						x			
	off		x	x	x	x	x		x	x	x
66	on		x					x			
	off	x		x	x	x	x		x	x	x
67	on	x	x					x			
	off			x	x	x	x		x	x	x
68	on			x				x			
	off	x	x		x	x	x		x	x	x
69	on	x		x				x			
	off		x		x	x	x		x	x	x
70	on		x	x				x			
	off	x			x	x	x		x	x	x
71	on	x	x	x				x			
	off				x	x	x		x	x	x
72	on				x			x			
	off	x	x	x		x	x		x	x	x
73	on	x			x			x			
	off		x	x		x	x		x	x	x
74	on		x		x			x			
	off	x		x		x	x		x	x	x
75	on	x	x		x			x			
	off			x		x	x		x	x	x
76	on			x	x			x			
	off	x	x			x	x		x	x	x
77	on	x		x	x			x			
	off		x			x	x		x	x	x
78	on		x	x	x			x			
	off	x				x	x		x	x	x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
79	on	x	x	x	x			x			
	off					x	x		x	x	x
80	on					x		x			
	off	x	x	x	x		x		x	x	x
81	on	x				x		x			
	off		x	x	x		x		x	x	x
82	on		x			x		x			
	off	x		x	x		x		x	x	x
83	on	x	x			x		x			
	off			x	x		x		x	x	x
84	on			x		x		x			
	off	x	x		x		x		x	x	x
85	on	x		x		x		x			
	off		x		x		x		x	x	x
86	on		x	x		x		x			
	off	x			x		x		x	x	x
87	on	x	x	x		x		x			
	off				x		x		x	x	x
88	on				x	x		x			
	off	x	x	x			x		x	x	x
89	on	x			x	x		x			
	off		x	x			x		x	x	x
90	on		x		x	x		x			
	off	x		x			x		x	x	x
91	on	x	x		x	x		x			
	off			x			x		x	x	x
92	on			x	x	x		x			
	off	x	x				x		x	x	x
93	on	x		x	x	x		x			
	off		x				x		x	x	x
94	on		x	x	x	x		x			
	off	x					x		x	x	x
95	on	x	x	x	x	x		x			
	off						x		x	x	x
96	on						x	x			
	off	x	x	x	x	x			x	x	x
97	on	x					x	x			
	off		x	x	x	x			x	x	x
98	on		x				x	x			
	off	x		x	x	x			x	x	x
99	on	x	x				x	x			
	off			x	x	x			x	x	x
100	on			x			x	x			
	off	x	x		x	x			x	x	x
101	on	x		x			x	x			
	off		x		x	x			x	x	x
102	on		x	x			x	x			
	off	x			x	x			x	x	x
103	on	x	x	x			x	x			
	off				x	x			x	x	x
104	on				x		x	x			
	off	x	x	x		x			x	x	x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
105	on	x			x		x	x			
	off		x	x		x			x	x	x
106	on		x		x		x	x			
	off	x		x		x			x	x	x
107	on	x	x		x		x	x			
	off			x		x			x	x	x
108	on			x	x		x	x			
	off	x	x			x			x	x	x
109	on	x		x	x		x	x			
	off		x			x			x	x	x
110	on		x	x	x		x	x			
	off	x				x			x	x	x
111	on	x	x	x	x		x	x			
	off					x			x	x	x
112	on					x	x	x			
	off	x	x	x	x				x	x	x
113	on	x				x	x	x			
	off		x	x	x				x	x	x
114	on		x			x	x	x			
	off	x		x	x				x	x	x
115	on	x	x			x	x	x			
	off			x	x				x	x	x
116	on			x		x	x	x			
	off	x	x		x				x	x	x
117	on	x		x		x	x	x			
	off		x		x				x	x	x
118	on		x	x		x	x	x			
	off	x			x				x	x	x
119	on	x	x	x		x	x	x			
	off				x				x	x	x
120	on				x	x	x	x			
	off	x	x	x					x	x	x
121	on	x			x	x	x	x			
	off		x	x					x	x	x
122	on		x		x	x	x	x			
	off	x		x					x	x	x
123	on	x	x		x	x	x	x			
	off			x					x	x	x
124	on			x	x	x	x	x			
	off	x	x						x	x	x
125	on	x		x	x	x	x	x			
	off		x						x	x	x
126	on		x	x	x	x	x	x			
	off	x							x	x	x
127	on	x	x	x	x	x	x	x			
	off								x	x	x
128	on								x		
	off	x	x	x	x	x	x	x		x	x
129	on	x							x		
	off		x	x	x	x	x	x		x	x
130	on		x						x		
	off	x		x	x	x	x	x		x	x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
131	on	x	x						x		
	off			x	x	x	x	x		x	x
132	on			x					x		
	off	x	x		x	x	x	x		x	x
133	on	x		x					x		
	off		x		x	x	x	x		x	x
134	on		x	x					x		
	off	x			x	x	x	x		x	x
135	on	x	x	x					x		
	off				x	x	x	x		x	x
136	on				x				x		
	off	x	x	x		x	x	x		x	x
137	on	x			x				x		
	off		x	x		x	x	x		x	x
138	on		x		x				x		
	off	x		x		x	x	x		x	x
139	on	x	x		x				x		
	off			x		x	x	x		x	x
140	on			x	x				x		
	off	x	x			x	x	x		x	x
141	on	x		x	x				x		
	off		x			x	x	x		x	x
142	on		x	x	x				x		
	off	x				x	x	x		x	x
143	on	x	x	x	x				x		
	off					x	x	x		x	x
144	on					x			x		
	off	x	x	x	x		x	x		x	x
145	on	x				x			x		
	off		x	x	x		x	x		x	x
146	on		x			x			x		
	off	x		x	x		x	x		x	x
147	on	x	x			x			x		
	off			x	x		x	x		x	x
148	on			x		x			x		
	off	x	x		x		x	x		x	x
149	on	x		x		x			x		
	off		x		x		x	x		x	x
150	on		x	x		x			x		
	off	x			x		x	x		x	x
151	on	x	x	x		x			x		
	off				x		x	x		x	x
152	on				x	x			x		
	off	x	x	x			x	x		x	x
153	on	x			x	x			x		
	off		x	x			x	x		x	x
154	on		x		x	x			x		
	off	x		x			x	x		x	x
155	on	x	x		x	x			x		
	off			x			x	x		x	x
156	on			x	x	x			x		
	off	x	x				x	x		x	x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
157	on	x		x	x	x			x		
	off		x				x	x		x	x
158	on		x	x	x	x			x		
	off	x					x	x		x	x
159	on	x	x	x	x	x			x		
	off						x	x		x	x
160	on						x		x		
	off	x	x	x	x	x		x		x	x
161	on	x					x		x		
	off		x	x	x	x		x		x	x
162	on		x				x		x		
	off	x		x	x	x		x		x	x
163	on	x	x				x		x		
	off			x	x	x		x		x	x
164	on			x			x		x		
	off	x	x		x	x		x		x	x
165	on	x		x			x		x		
	off		x		x	x		x		x	x
166	on		x	x			x		x		
	off	x			x	x		x		x	x
167	on	x	x	x			x		x		
	off				x	x		x		x	x
168	on				x		x		x		
	off	x	x	x		x		x		x	x
169	on	x			x		x		x		
	off		x	x		x		x		x	x
170	on		x		x		x		x		
	off	x		x		x		x		x	x
171	on	x	x		x		x		x		
	off			x		x		x		x	x
172	on			x	x		x		x		
	off	x	x			x		x		x	x
173	on	x		x	x		x		x		
	off		x			x		x		x	x
174	on		x	x	x		x		x		
	off	x				x		x		x	x
175	on	x	x	x	x		x		x		
	off					x		x		x	x
176	on					x	x		x		
	off	x	x	x	x			x		x	x
177	on	x				x	x		x		
	off		x	x	x			x		x	x
178	on		x			x	x		x		
	off	x		x	x			x		x	x
179	on	x	x			x	x		x		
	off			x	x			x		x	x
180	on			x		x	x		x		
	off	x	x		x			x		x	x
181	on	x		x		x	x		x		
	off		x		x			x		x	x
182	on		x	x		x	x		x		
	off	x			x			x		x	x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
183	on	x	x	x		x	x		x		
	off				x			x		x	x
184	on				x	x	x		x		
	off	x	x	x				x		x	x
185	on	x			x	x	x		x		
	off		x	x				x		x	x
186	on		x		x	x	x		x		
	off	x		x				x		x	x
187	on	x	x		x	x	x		x		
	off			x				x		x	x
188	on			x	x	x	x		x		
	off	x	x					x		x	x
189	on	x		x	x	x	x		x		
	off		x					x		x	x
190	on		x	x	x	x	x		x		
	off	x						x		x	x
191	on	x	x	x	x	x	x		x		
	off							x		x	x
192	on							x	x		
	off	x	x	x	x	x	x			x	x
193	on	x						x	x		
	off		x	x	x	x	x			x	x
194	on		x					x	x		
	off	x		x	x	x	x			x	x
195	on	x	x					x	x		
	off			x	x	x	x			x	x
196	on			x				x	x		
	off	x	x		x	x	x			x	x
197	on	x		x				x	x		
	off		x		x	x	x			x	x
198	on		x	x				x	x		
	off	x			x	x	x			x	x
199	on	x	x	x				x	x		
	off				x	x	x			x	x
200	on				x			x	x		
	off	x	x	x		x	x			x	x
201	on	x			x			x	x		
	off		x	x		x	x			x	x
202	on		x		x			x	x		
	off	x		x		x	x			x	x
203	on	x	x		x			x	x		
	off			x		x	x			x	x
204	on			x	x			x	x		
	off	x	x			x	x			x	x
205	on	x		x	x			x	x		
	off		x			x	x			x	x
206	on		x	x	x			x	x		
	off	x				x	x			x	x
207	on	x	x	x	x			x	x		
	off					x	x			x	x
208	on					x		x	x		
	off	x	x	x	x		x			x	x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
209	on	x				x		x	x		
	off		x	x	x		x			x	x
210	on		x			x		x	x		
	off	x		x	x		x			x	x
211	on	x	x			x		x	x		
	off			x	x		x			x	x
212	on			x		x		x	x		
	off	x	x		x		x	x		x	x
213	on	x		x		x		x	x		
	off		x		x		x			x	x
214	on		x	x		x		x	x		
	off	x			x		x			x	x
215	on	x	x	x		x		x	x		
	off				x		x			x	x
216	on				x	x		x	x		
	off	x	x	x			x			x	x
217	on	x			x	x		x	x		
	off		x	x			x			x	x
218	on		x		x	x		x	x		
	off	x		x			x			x	x
219	on	x	x		x	x		x	x		
	off			x			x			x	x
220	on			x	x	x		x	x		
	off	x	x				x			x	x
221	on	x		x	x	x		x	x		
	off		x				x			x	x
222	on		x	x	x	x		x	x		
	off	x					x			x	x
223	on	x	x	x	x	x		x	x		
	off						x			x	x
224	on						x	x	x		
	off	x	x	x	x	x				x	x
225	on	x					x	x	x		
	off		x	x	x	x				x	x
226	on		x				x	x	x		
	off	x		x	x	x				x	x
227	on	x	x				x	x	x		
	off			x	x	x				x	x
228	on			x			x	x	x		
	off	x	x		x	x				x	x
229	on	x		x			x	x	x		
	off		x		x	x				x	x
230	on		x	x			x	x	x		
	off	x			x	x				x	x
231	on	x	x	x			x	x	x		
	off				x	x				x	x
232	on				x		x	x	x		
	off	x	x	x		x				x	x
233	on	x			x		x	x	x		
	off		x	x		x				x	x
234	on		x		x		x	x	x		
	off	x		x		x				x	x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
235	on	x	x		x		x	x	x		
	off			x	x	x				x	x
236	on			x	x		x	x	x		
	off	x	x			x				x	x
237	on	x		x	x		x	x	x		
	off		x			x				x	x
238	on		x	x	x		x	x	x		
	off	x				x				x	x
239	on	x	x	x	x		x	x	x		
	off					x				x	x
240	on					x	x	x	x		
	off	x	x	x	x					x	x
241	on	x				x	x	x	x		
	off		x	x	x					x	x
242	on		x			x	x	x	x		
	off	x		x	x					x	x
243	on	x	x			x	x	x	x		
	off			x	x					x	x
244	on			x		x	x	x	x		
	off	x	x		x					x	x
245	on	x		x		x	x	x	x		
	off		x		x					x	x
246	on		x	x		x	x	x	x		
	off	x			x					x	x
247	on	x	x	x		x	x	x	x		
	off				x					x	x
248	on				x	x	x	x	x		
	off	x	x	x						x	x
249	on	x			x	x	x	x	x		
	off		x	x						x	x
250	on		x		x	x	x	x	x		
	off	x		x						x	x
251	on	x	x		x	x	x	x	x		
	off			x						x	x
252	on			x	x	x	x	x	x		
	off	x	x							x	x
253	on	x		x	x	x	x	x	x		
	off		x							x	x
254	on		x	x	x	x	x	x	x		
	off	x								x	x
255	on	x	x	x	x	x	x	x	x		
	off									x	x
256	on									x	
	off	x	x	x	x	x	x	x	x		x
257	on	x								x	
	off		x	x	x	x	x	x	x		x
258	on		x							x	
	off	x		x	x	x	x	x	x		x
259	on	x	x							x	
	off			x	x	x	x	x	x		x
260	on			x						x	
	off	x	x		x	x	x	x	x		x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
261	on	x		x						x	
	off		x		x	x	x	x	x		x
262	on		x	x						x	
	off	x			x	x	x	x	x		x
263	on	x	x	x						x	
	off				x	x	x	x	x		x
264	on				x					x	
	off	x	x	x		x	x	x	x		x
265	on	x			x					x	
	off		x	x		x	x	x	x		x
266	on		x		x					x	
	off	x		x		x	x	x	x		x
267	on	x	x		x					x	
	off			x		x	x	x	x		x
268	on			x	x					x	
	off	x	x			x	x	x	x		x
269	on	x		x	x					x	
	off		x			x	x	x	x		x
270	on		x	x	x					x	
	off	x				x	x	x	x		x
271	on	x	x	x	x					x	
	off					x	x	x	x		x
272	on					x				x	
	off	x	x	x	x		x	x	x		x
273	on	x				x				x	
	off		x	x	x		x	x	x		x
274	on		x			x				x	
	off	x		x	x		x	x	x		x
275	on	x	x			x				x	
	off			x	x		x	x	x		x
276	on			x		x				x	
	off	x	x		x		x	x	x		x
277	on	x		x		x				x	
	off		x		x		x	x	x		x
278	on		x	x		x				x	
	off	x			x		x	x	x		x
279	on	x	x	x		x				x	
	off				x		x	x	x		x
280	on				x	x				x	
	off	x	x	x			x	x	x		x
281	on	x			x	x				x	
	off		x	x			x	x	x		x
282	on		x		x	x				x	
	off	x		x			x	x	x		x
283	on	x	x		x	x				x	
	off			x			x	x	x		x
284	on			x	x	x				x	
	off	x	x				x	x	x		x
285	on	x		x	x	x				x	
	off		x				x	x	x		x
286	on		x	x	x	x				x	
	off	x					x	x	x		x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
287	on	x	x	x	x	x				x	
	off						x	x	x		x
288	on						x			x	
	off	x	x	x	x	x		x	x		x
289	on	x					x			x	
	off		x	x	x	x		x	x		x
290	on		x				x			x	
	off	x		x	x	x		x	x		x
291	on	x	x				x			x	
	off			x	x	x		x	x		x
292	on			x			x			x	
	off	x	x		x	x		x	x		x
293	on	x		x			x			x	
	off		x		x	x		x	x		x
294	on		x	x			x			x	
	off	x			x	x		x	x		x
295	on	x	x	x			x			x	
	off				x	x		x	x		x
296	on				x		x			x	
	off	x	x	x		x		x	x		x
297	on	x			x		x			x	
	off		x	x		x		x	x		x
298	on		x		x		x			x	
	off	x		x		x		x	x		x
299	on	x	x		x		x			x	
	off			x		x		x	x		x
300	on			x	x		x			x	
	off	x	x			x		x	x		x
301	on	x		x	x		x			x	
	off		x			x		x	x		x
302	on		x	x	x		x			x	
	off	x				x		x	x		x
303	on	x	x	x	x		x			x	
	off					x		x	x		x
304	on					x	x			x	
	off	x	x	x	x			x	x		x
305	on	x				x	x			x	
	off		x	x	x			x	x		x
306	on		x			x	x			x	
	off	x		x	x			x	x		x
307	on	x	x			x	x			x	
	off			x	x			x	x		x
308	on			x		x	x			x	
	off	x	x		x			x	x		x
309	on	x		x		x	x			x	
	off		x		x			x	x		x
310	on		x	x		x	x			x	
	off	x			x			x	x		x
311	on	x	x	x		x	x			x	
	off				x			x	x		x
312	on				x	x	x			x	
	off	x	x	x				x	x		x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
313	on	x			x	x	x			x	
	off		x	x				x	x		x
314	on		x		x	x	x			x	
	off	x		x				x	x		x
315	on	x	x		x	x	x			x	
	off			x				x	x		x
316	on			x	x	x	x			x	
	off	x	x					x	x		x
317	on	x		x	x	x	x			x	
	off		x					x	x		x
318	on		x	x	x	x	x			x	
	off	x						x	x		x
319	on	x	x	x	x	x	x			x	
	off							x	x		x
320	on							x		x	
	off	x	x	x	x	x	x		x		x
321	on	x						x		x	
	off		x	x	x	x	x		x		x
322	on		x					x		x	
	off	x		x	x	x	x		x		x
323	on	x	x					x		x	
	off			x	x	x	x		x		x
324	on			x				x		x	
	off	x	x		x	x	x		x		x
325	on	x		x				x		x	
	off		x		x	x	x		x		x
326	on		x	x				x		x	
	off	x			x	x	x		x		x
327	on	x	x	x				x		x	
	off				x	x	x		x		x
328	on				x			x		x	
	off	x	x	x		x	x		x		x
329	on	x			x			x		x	
	off		x	x		x	x		x		x
330	on		x		x			x		x	
	off	x		x		x	x		x		x
331	on	x	x		x			x		x	
	off			x		x	x		x		x
332	on			x	x			x		x	
	off	x	x			x	x		x		x
333	on	x		x	x			x		x	
	off		x			x	x		x		x
334	on		x	x	x			x		x	
	off	x				x	x		x		x
335	on	x	x	x	x			x		x	
	off					x	x		x		x
336	on					x		x		x	
	off	x	x	x	x		x		x		x
337	on	x				x		x		x	
	off		x	x	x		x		x		x
338	on		x			x		x		x	
	off	x		x	x		x		x		x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
339	on	x	x			x		x		x	
	off			x	x		x		x		x
340	on			x		x		x		x	
	off	x	x		x		x		x		x
341	on	x		x		x		x		x	
	off		x		x		x		x		x
342	on		x	x		x		x		x	
	off	x			x		x		x		x
343	on	x	x	x		x		x		x	
	off				x		x		x		x
344	on				x	x		x		x	
	off	x	x	x			x		x		x
345	on	x			x	x		x		x	
	off		x	x			x		x		x
346	on		x		x	x		x		x	
	off	x		x			x		x		x
347	on	x	x		x	x		x		x	
	off			x			x		x		x
348	on			x	x	x		x		x	
	off	x	x				x		x		x
349	on	x		x	x	x		x		x	
	off		x				x		x		x
350	on		x	x	x	x		x		x	
	off	x					x		x		x
351	on	x	x	x	x	x		x		x	
	off						x		x		x
352	on						x	x		x	
	off	x	x	x	x	x			x		x
353	on	x					x	x		x	
	off		x	x	x	x			x		x
354	on		x				x	x		x	
	off	x		x	x	x			x		x
355	on	x	x				x	x		x	
	off			x	x	x			x		x
356	on			x			x	x		x	
	off	x	x		x	x			x		x
357	on	x		x			x	x		x	
	off		x		x	x			x		x
358	on		x	x			x	x		x	
	off	x			x	x			x		x
359	on	x	x	x			x	x		x	
	off				x	x			x		x
360	on				x		x	x		x	
	off	x	x	x		x			x		x
361	on	x			x		x	x		x	
	off		x	x		x			x		x
362	on		x		x		x	x		x	
	off	x		x		x			x		x
363	on	x	x		x		x	x		x	
	off			x		x			x		x
364	on			x	x		x	x		x	
	off	x	x			x			x		x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
365	on	x		x	x		x	x		x	
	off		x			x			x		x
366	on		x	x	x		x	x		x	
	off	x				x			x		x
367	on	x	x	x	x		x	x		x	
	off					x			x		x
368	on					x	x	x		x	
	off	x	x	x	x				x		x
369	on	x				x	x	x		x	
	off		x	x	x				x		x
370	on		x			x	x	x		x	
	off	x		x	x				x		x
371	on	x	x			x	x	x		x	
	off			x	x				x		x
372	on			x		x	x	x		x	
	off	x	x		x				x		x
373	on	x		x		x	x	x		x	
	off		x		x				x		x
374	on		x	x		x	x	x		x	
	off	x			x				x		x
375	on	x	x	x		x	x	x		x	
	off				x				x		x
376	on				x	x	x	x		x	
	off	x	x	x					x		x
377	on	x			x	x	x	x		x	
	off		x	x					x		x
378	on		x		x	x	x	x		x	
	off	x		x					x		x
379	on	x	x		x	x	x	x		x	
	off			x					x		x
380	on			x	x	x	x	x		x	
	off	x	x						x		x
381	on	x		x	x	x	x	x		x	
	off		x						x		x
382	on		x	x	x	x	x	x		x	
	off	x							x		x
383	on	x	x	x	x	x	x	x		x	
	off								x		x
384	on								x	x	
	off	x	x	x	x	x	x	x			x
385	on	x							x	x	
	off		x	x	x	x	x	x			x
386	on		x						x	x	
	off	x		x	x	x	x	x			x
387	on	x	x						x	x	
	off			x	x	x	x	x			x
388	on			x					x	x	
	off	x	x		x	x	x	x			x
389	on	x		x					x	x	
	off		x		x	x	x	x			x
390	on		x	x					x	x	
	off	x			x	x	x	x			x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
391	on	x	x	x					x	x	
	off				x	x	x	x			x
392	on				x				x	x	
	off	x	x	x		x	x	x			x
393	on	x			x				x	x	
	off		x	x		x	x	x			x
394	on		x		x				x	x	
	off	x		x		x	x	x			x
395	on	x	x		x				x	x	
	off			x		x	x	x			x
396	on			x	x				x	x	
	off	x	x			x	x	x			x
397	on	x		x	x				x	x	
	off		x			x	x	x			x
398	on		x	x	x				x	x	
	off	x				x	x	x			x
399	on	x	x	x	x				x	x	
	off					x	x	x			x
400	on					x			x	x	
	off	x	x	x	x		x	x			x
401	on	x				x			x	x	
	off		x	x	x		x	x			x
402	on		x			x			x	x	
	off	x		x	x		x	x			x
403	on	x	x			x			x	x	
	off			x	x		x	x			x
404	on			x		x			x	x	
	off	x	x		x		x	x			x
405	on	x		x		x			x	x	
	off		x		x		x	x			x
406	on		x	x		x			x	x	
	off	x			x		x	x			x
407	on	x	x	x		x			x	x	
	off				x		x	x			x
408	on				x	x			x	x	
	off	x	x	x			x	x			x
409	on	x			x	x			x	x	
	off		x	x			x	x			x
410	on		x		x	x			x	x	
	off	x		x			x	x			x
411	on	x	x		x	x			x	x	
	off			x			x	x			x
412	on			x	x	x			x	x	
	off	x	x				x	x			x
413	on	x		x	x	x			x	x	
	off		x				x	x			x
414	on		x	x	x	x			x	x	
	off	x					x	x			x
415	on	x	x	x	x	x			x	x	
	off						x	x			x
416	on						x		x	x	
	off	x	x	x	x	x		x			x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
417	on	x					x		x	x	
	off		x	x	x	x		x			x
418	on		x				x		x	x	
	off	x		x	x	x		x			x
419	on	x	x				x		x	x	
	off			x	x	x		x			x
420	on			x			x		x	x	
	off	x	x		x	x		x			x
421	on	x		x			x		x	x	
	off		x		x	x		x			x
422	on		x	x			x		x	x	
	off	x			x	x		x			x
423	on	x	x	x			x		x	x	
	off				x	x		x			x
424	on				x		x		x	x	
	off	x	x	x		x		x			x
425	on	x			x		x		x	x	
	off		x	x		x		x			x
426	on		x		x		x		x	x	
	off	x		x		x		x			x
427	on	x	x		x		x		x	x	
	off			x		x		x			x
428	on			x	x		x		x	x	
	off	x	x			x		x			x
429	on	x		x	x		x		x	x	
	off		x			x		x			x
430	on		x	x	x		x		x	x	
	off	x				x		x			x
431	on	x	x	x	x		x		x	x	
	off					x		x			x
432	on					x	x		x	x	
	off	x	x	x	x			x			x
433	on	x				x	x		x	x	
	off		x	x	x			x			x
434	on		x			x	x		x	x	
	off	x		x	x			x			x
435	on	x	x			x	x		x	x	
	off			x	x			x			x
436	on			x		x	x		x	x	
	off	x	x		x			x			x
437	on	x		x		x	x		x	x	
	off		x		x			x			x
438	on		x	x		x	x		x	x	
	off	x			x			x			x
439	on	x	x	x		x	x		x	x	
	off				x			x			x
440	on				x	x	x		x	x	
	off	x	x	x				x			x
441	on	x			x	x	x		x	x	
	off		x	x				x			x
442	on		x		x	x	x		x	x	
	off	x		x				x			x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
443	on	x	x		x	x	x		x	x	
	off			x				x			x
444	on			x	x	x	x		x	x	
	off	x	x					x			x
445	on	x		x	x	x	x		x	x	
	off		x					x			x
446	on		x	x	x	x	x		x	x	
	off	x						x			x
447	on	x	x	x	x	x	x		x	x	
	off							x			x
448	on							x	x	x	
	off	x	x	x	x	x	x				x
449	on	x						x	x	x	
	off		x	x	x	x	x				x
450	on		x					x	x	x	
	off	x		x	x	x	x				x
451	on	x	x					x	x	x	
	off			x	x	x	x				x
452	on			x				x	x	x	
	off	x	x		x	x	x				x
453	on	x		x				x	x	x	
	off		x		x	x	x				x
454	on		x	x				x	x	x	
	off	x			x	x	x				x
455	on	x	x	x				x	x	x	
	off				x	x	x				x
456	on				x			x	x	x	
	off	x	x	x		x	x				x
457	on	x			x			x	x	x	
	off		x	x		x	x				x
458	on		x		x			x	x	x	
	off	x		x		x	x				x
459	on	x	x		x			x	x	x	
	off			x		x	x				x
460	on			x	x			x	x	x	
	off	x	x			x	x				x
461	on	x		x	x			x	x	x	
	off		x			x	x				x
462	on		x	x	x			x	x	x	
	off	x				x	x				x
463	on	x	x	x	x			x	x	x	
	off					x	x				x
464	on					x		x	x	x	
	off	x	x	x	x		x				
465	on	x				x		x	x	x	
	off		x	x	x		x				x
466	on		x			x		x	x	x	
	off	x		x	x		x				x
467	on	x	x			x		x	x	x	
	off			x	x		x				x
468	on			x		x		x	x	x	
	off	x	x		x		x				x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
469	on	x		x		x		x	x	x	
	off		x		x		x				x
470	on		x	x		x		x	x	x	
	off	x			x		x				x
471	on	x	x	x		x		x	x	x	
	off				x		x				x
472	on				x	x		x	x	x	
	off	x	x	x			x				x
473	on	x			x	x		x	x	x	
	off		x	x			x				x
474	on		x		x	x		x	x	x	
	off	x		x			x				x
475	on	x	x		x	x		x	x	x	
	off			x			x				x
476	on			x	x	x		x	x	x	
	off	x	x				x				x
477	on	x		x	x	x		x	x	x	
	off		x				x				x
478	on		x	x	x	x		x	x	x	
	off	x					x				x
479	on	x	x	x	x	x		x	x	x	
	off						x				x
480	on						x	x	x	x	
	off	x	x	x	x	x					x
481	on	x					x	x	x	x	
	off		x	x	x	x					x
482	on		x				x	x	x	x	
	off	x		x	x	x					x
483	on	x	x				x	x	x	x	
	off			x	x	x					x
484	on			x			x	x	x	x	
	off	x	x		x	x					x
485	on	x		x			x	x	x	x	
	off		x		x	x					x
486	on		x	x			x	x	x	x	
	off	x			x	x					x
487	on	x	x	x			x	x	x	x	
	off				x	x					x
488	on				x		x	x	x	x	
	off	x	x	x		x					x
489	on	x			x		x	x	x	x	
	off		x	x		x					x
490	on		x		x		x	x	x	x	
	off	x		x		x					x
491	on	x	x		x		x	x	x	x	
	off			x		x					x
492	on			x	x		x	x	x	x	
	off	x	x			x					x
493	on	x		x	x		x	x	x	x	
	off		x			x					x
494	on		x	x	x		x	x	x	x	
	off	x				x					x

DMX - ADRESSEN wie muss der DIP-Schalter stehen

DIP-Schalter		1	2	3	4	5	6	7	8	9	10
Wert		1	2	4	8	16	32	64	128	256	512
Adresse	Status										
495	on	x	x	x	x		x	x	x	x	
	off					x					x
496	on					x	x	x	x	x	
	off	x	x	x	x						x
497	on	x				x	x	x	x	x	
	off		x	x	x						x
498	on		x			x	x	x	x	x	
	off	x		x	x						x
499	on	x	x			x	x	x	x	x	
	off			x	x						x
500	on			x		x	x	x	x	x	
	off	x	x		x						x
501	on	x		x		x	x	x	x	x	
	off		x		x						x
502	on		x	x		x	x	x	x	x	
	off	x			x						x
503	on	x	x	x		x	x	x	x	x	
	off				x						x
504	on				x	x	x	x	x	x	
	off	x	x	x							x
505	on	x			x	x	x	x	x	x	
	off		x	x							x
506	on		x		x	x	x	x	x	x	
	off	x		x							x
507	on	x	x		x	x	x	x	x	x	
	off			x							x
508	on			x	x	x	x	x	x	x	
	off	x	x								x
509	on	x		x	x	x	x	x	x	x	
	off		x								x
510	on		x	x	x	x	x	x	x	x	
	off	x									x
511	on	x	x	x	x	x	x	x	x	x	
	off										x
512	on										x
	off	x	x	x	x	x	x	x	x	x	